## WEST

**Generate Collection** 

Print

STATE

CA

CA

### Search Results - Record(s) 1 through 2 of 2 returned.

1. Document ID: US 6402028 B1

L16: Entry 1 of 2

File: USPT

Jun 11, 2002

US-PAT-NO: 6402028

DOCUMENT-IDENTIFIER: US 6402028 B1

TITLE: Integrated production of smart cards

DATE-ISSUED: June 11, 2002

INVENTOR-INFORMATION:

NAME

Graham, Jr.; Harry E.

Kekicheff; Marc B.

Nablo; Ricky Jay

Haeuser; William W.

CITY

Walnut Creek

Palo Alto

Eden Prairie

Prior Lake

COUNTRY

MN MN

ZIP CODE

US-CL-CURRENT: 235/380; 235/449, 235/492, 235/493

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw Desc Image

2. Document ID: US 5778385 A

L16: Entry 2 of 2

File: USPT

Jul 7, 1998

US-PAT-NO: 5778385

DOCUMENT-IDENTIFIER: US 5778385 A

TITLE: Link manager for managing links integrating data between application programs

DATE-ISSUED: July 7, 1998

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Pratt; John M.

Atkinson

nson

NH

US-CL-CURRENT: 707/200

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC | Draw Desc Image


Generate Collection

Print


Terms	Documents
L15 and first and second adj application	2

Display Format: - Change Format


<u>Previous Page</u> <u>Next Page</u>



Set Name side by side	Query	Hit Count	Set Name result set
-	T,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L16</u>	L15 and first and second adj application	2	<u>L16</u>
<u>L15</u>	L14 and resource and applications	26	<u>L15</u>
<u>L14</u>	desktop adj unit and servers	62	<u>L14</u>
<u>L13</u>	L12 and share adj client adj application	0	<u>L13</u>
<u>L12</u>	computers adj connect adj servers	39	<u>L12</u>
<u>L11</u>	L7 and identify and consum\$4 and applications	15	<u>L11</u>
<u>L10</u>	L6 and improve\$4 adj access\$4 adj resource	0	<u>L10</u>
<u>L9</u>	L6 and improve\$4 adj access\$4	334	<u>L9</u>
<u>L8</u>	L7 and share\$4 adj client	3	<u>L8</u>
<u>L7</u>	L6 and desktop adj unit	62	<u>L7</u>
<u>L6</u>	computers and servers	74706	<u>L6</u>
<u>L5</u>	hypernation	0	<u>L5</u>
<u>L4</u>	L3 and resources and applications	4	<u>L4</u>
<u>L3</u>	L2 and smart adj card	9	<u>L3</u>
<u>L2</u>	L1 and desktop adj unit	62	<u>L2</u>
<u>L1</u>	computers and servers	74706	<u>L1</u>



Set Name side by side	Query	Hit Count	Set Name result set
DB = USP	T,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L15</u>	L14 and resource and applications	26	<u>L15</u>
<u>L14</u>	desktop adj unit and servers	62	<u>L14</u>
<u>L13</u>	L12 and share adj client adj application	0	<u>L13</u>
<u>L12</u>	computers adj connect adj servers	39	<u>L12</u>
<u>L11</u>	L7 and identify and consum\$4 and applications	15	<u>L11</u>
<u>L10</u>	L6 and improve\$4 adj access\$4 adj resource	0	<u>L10</u>
<u>L9</u>	L6 and improve\$4 adj access\$4	334	<u>L9</u>
<u>L8</u>	L7 and share\$4 adj client	3	<u>L8</u>
<u>L7</u>	L6 and desktop adj unit	62	<u>L7</u>
<u>L6</u>	computers and servers	74706	<u>L6</u>
<u>L5</u>	hypernation	0	<u>L5</u>
<u>L4</u>	L3 and resources and applications	4	<u>L4</u>
<u>L3</u>	L2 and smart adj card	9	<u>L3</u>
<u>L2</u>	L1 and desktop adj unit	62	<u>L2</u>
<u>L1</u>	computers and servers	74706	<u>L1</u>




Query	Hit Count	Set Name result set
$T,PGPB,JPAB,EPAB,DWPI,TDBD;\ PLUR=YES;\ OP=OR$		
L65 and determine\$4	136	<u>L66</u>
L64 and provide\$4 and information	147	<u>L65</u>
L63 and applications	244	<u>L64</u>
L62 and active and inactive	246	<u>L63</u>
L61 and disconnect and connect\$4	1092	<u>L62</u>
L60 and session\$4	8928	<u>L61</u>
clients and servers	48650	<u>L60</u>
L55 and application\$4 and determine\$4.ab.	37	<u>L59</u>
L55 and application\$4 and determine\$4	270	<u>L58</u>
L55 and ((709/230 )!.CCLS.)	12	<u>L57</u>
	T,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR L65 and determine\$4 L64 and provide\$4 and information L63 and applications L62 and active and inactive L61 and disconnect and connect\$4 L60 and session\$4 clients and servers L55 and application\$4 and determine\$4.ab. L55 and application\$4 and determine\$4	T,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR  L65 and determine\$4  L64 and provide\$4 and information  L63 and applications  L62 and active and inactive  L61 and disconnect and connect\$4  L60 and session\$4  clients and servers  L55 and application\$4 and determine\$4.ab.  37  L55 and application\$4 and determine\$4

<u>L56</u>	L55 and ((230/)!.CCLS.)	0	<u>L56</u>
<u>L55</u>	L54 and programs	312	<u>L55</u>
<u>L54</u>	L53 and client\$4 adj servers	347	<u>L54</u>
<u>L53</u>	directory adj server\$4	1133	<u>L53</u>
<u>L52</u>	directory adj servers	1132	<u>L52</u>
<u>L51</u>	L49 and active and inactive	8	<u>L51</u>
<u>L50</u>	L49 and active and inactive adj applications	0	<u>L50</u>
<u>L49</u>	L48 and multi\$4 adj resource	36	<u>L49</u>
<u>L48</u>	multi\$4 adj applications and L46	1736	<u>L48</u>
<u>L47</u>	multi\$4 adj applications andL46	7282	<u>L47</u>
<u>L46</u>	computers and servers	74706	<u>L46</u>
<u>L45</u>	use\$4 and L44	21	<u>L45</u>
<u>L44</u>	monitor\$4 and L42	21	<u>L44</u>
<u>L43</u>	L42 monitor\$4 and detect	255553	<u>L43</u>
<u>L42</u>	L41 and applications	23	<u>L42</u>
<u>L41</u>	L40 and servers adj active and inactive	23	<u>L41</u>
<u>L40</u>	communications adj clients and servers	1286	<u>L40</u>
<u>L39</u>	severs and clients	1666	<u>L39</u>
<u>L38</u>	L37 and application and use\$4 and resource	15	<u>L38</u>
<u>L37</u>	L27 and desktop adj unit	19	<u>L37</u>
<u>L36</u>	L28 and desktop adj unit	0	<u>L36</u>
<u>L35</u>	L32 and target adj applications	3	<u>L35</u>
<u>L34</u>	L32 and monitor\$4 and status adj applications	1	<u>L34</u>
<u>L33</u>	L32 and monitor\$4 adj status adj applications	0	<u>L33</u>
<u>L32</u>	L30 and reduce and resource and use\$4	43	<u>L32</u>
<u>L31</u>	L30 and improve\$4 adj access\$4	0	<u>L31</u>
<u>L30</u>	L29 and identify and consum\$4	48	<u>L30</u>
<u>L29</u>	L28 and detect	126	<u>L29</u>
<u>L28</u>	L27 and applications and no adj active	231	<u>L28</u>
<u>L27</u>	servers and clients	48650	<u>L27</u>
<u>L26</u>	6393569.pn.	2	<u>L26</u>
<u>L25</u>	L24 and first and second adj application	2	<u>L25</u>
<u>L24</u>	L22 and identify\$4 and detect\$4	22	<u>L24</u>
<u>L23</u>	L22 and one and more adj resources	2	<u>L23</u>
<u>L22</u>	L19 and access andapplications	61	<u>L22</u>
<u>L21</u>	L19 and access adj multi\$4 adj applications	0	<u>L21</u>
<u>L20</u>	L19 and access\$4 adj resources	3	<u>L20</u>
<u>L19</u>	L17 and desktop adj unit	62	<u>L19</u>

<u>L18</u>	L17 and destop adj unit	0	<u>L18</u>
<u>L17</u>	computers and servers	74706	<u>L17</u>
<u>L16</u>	L15 and first and second adj application	2	<u>L16</u>
<u>L15</u>	L14 and resource and applications	26	<u>L15</u>
<u>L14</u>	desktop adj unit and servers	62	<u>L14</u>
<u>L13</u>	L12 and share adj client adj application	0	<u>L13</u>
<u>L12</u>	computers adj connect adj servers	39	<u>L12</u>
<u>L11</u>	L7 and identify and consum\$4 and applications	15	<u>L11</u>
<u>L10</u>	L6 and improve\$4 adj access\$4 adj resource	0	<u>L10</u>
<u>L9</u>	L6 and improve\$4 adj access\$4	334	<u>L9</u>
<u>L8</u>	L7 and share\$4 adj client	3	<u>L8</u>
<u>L7</u>	L6 and desktop adj unit	62	<u>L7</u>
<u>L6</u>	computers and servers	74706	<u>L6</u>
<u>L5</u>	hypernation	0	<u>L5</u>
<u>L4</u>	L3 and resources and applications	4	<u>L4</u>
<u>L3</u>	L2 and smart adj card	9	<u>L3</u>
<u>L2</u>	L1 and desktop adj unit	62	<u>L2</u>
<u>L1</u>	computers and servers	74706	<u>L1</u>

11/22/02 1:15 PM



Set Name	Query	Hit Count	Set Name result set
side by side			result set
DB = USP	$T,PGPB,JPAB,EPAB,DWPI,TDBD;\ PLUR=YES;\ OP=OR$		•
<u>L65</u>	L64 and provide\$4 and information	147	<u>L65</u>
<u>L64</u>	L63 and applications	244	<u>L64</u>
<u>L63</u>	L62 and active and inactive	246	<u>L63</u>
<u>L62</u>	L61 and disconnect and connect\$4	1092	<u>L62</u>
<u>L61</u>	L60 and session\$4	8928	<u>L61</u>
L60	clients and servers	48650	<u>L60</u>
L59	L55 and application\$4 and determine\$4.ab.	37	<u>L59</u>
<u>L58</u>	L55 and application\$4 and determine\$4	270	<u>L58</u>
L57	L55 and ((709/230)!.CCLS.)	12	<u>L57</u>
L56	L55 and ((230/)!.CCLS.)	0	<u>L56</u>
===	— · · · · · · · · · · · · · · · · · ·		

<u>L55</u>	L54 and programs	312	<u>L55</u>
<u>L54</u>	L53 and client\$4 adj servers	347	<u>L54</u>
<u>L53</u>	directory adj server\$4	1133	<u>L53</u>
<u>L52</u>	directory adj servers	1132	<u>L52</u>
<u>L51</u>	L49 and active and inactive	8	<u>L51</u>
<u>L50</u>	L49 and active and inactive adj applications	0	<u>L50</u>
<u>L49</u>	L48 and multi\$4 adj resource	36	<u>L49</u>
<u>L48</u>	multi\$4 adj applications and L46	1736	<u>L48</u>
<u>L47</u>	multi\$4 adj applications andL46	7282	<u>L47</u>
<u>L46</u>	computers and servers	74706	<u>L46</u>
<u>L45</u>	use\$4 and L44	21	<u>L45</u>
<u>L44</u>	monitor\$4 and L42	21	<u>L44</u>
<u>L43</u>	L42 monitor\$4 and detect	255553	<u>L43</u>
<u>L42</u>	L41 and applications	23	<u>L42</u>
<u>L41</u>	L40 and servers adj active and inactive	23	<u>L41</u>
<u>L40</u>	communications adj clients and servers	1286	<u>L40</u>
<u>L39</u>	severs and clients	1666	<u>L39</u>
<u>L38</u>	L37 and application and use\$4 and resource	15	<u>L38</u>
<u>L37</u>	L27 and desktop adj unit	19	<u>L37</u>
<u>L36</u>	L28 and desktop adj unit	0	<u>L36</u>
<u>L35</u>	L32 and target adj applications	3	<u>L35</u>
<u>L34</u>	L32 and monitor\$4 and status adj applications	1	<u>L34</u>
<u>L33</u>	L32 and monitor\$4 adj status adj applications	0	<u>L33</u>
<u>L32</u>	L30 and reduce and resource and use\$4	43	<u>L32</u>
<u>L31</u>	L30 and improve\$4 adj access\$4	0	<u>L31</u>
<u>L30</u>	L29 and identify and consum\$4	48	<u>L30</u>
<u>L29</u>	L28 and detect	126	<u>L29</u>
<u>L28</u>	L27 and applications and no adj active	231	<u>L28</u>
<u>L27</u>	servers and clients	48650	<u>L27</u>
<u>L26</u>	6393569.pn.	2	<u>L26</u>
<u>L25</u>	L24 and first and second adj application	2	<u>L25</u>
<u>L24</u>	L22 and identify\$4 and detect\$4	22	<u>L24</u>
<u>L23</u>	L22 and one and more adj resources	2	<u>L23</u>
<u>L22</u>	L19 and access andapplications	61	<u>L22</u>
<u>L21</u>	L19 and access adj multi\$4 adj applications	0	<u>L21</u>
<u>L20</u>	L19 and access\$4 adj resources	3	<u>L20</u>
<u>L19</u>	L17 and desktop adj unit	62	<u>L19</u>
<u>L18</u>	L17 and destop adj unit	0	<u>L18</u>

11/22/02 1:15 PM

<u> 17</u>	computers and servers	74706	<u>L17</u>
<u>L16</u>	L15 and first and second adj application	2	<u>L16</u>
L15	L14 and resource and applications	26	<u>L15</u>
<u>L14</u>	desktop adj unit and servers	62	<u>L14</u>
<u>L13</u>	L12 and share adj client adj application	0	<u>L13</u>
<u>L12</u>	computers adj connect adj servers	39	<u>L12</u>
<u>L11</u>	L7 and identify and consum\$4 and applications	15	<u>L11</u>
<u>L10</u>	L6 and improve\$4 adj access\$4 adj resource	0	<u>L10</u>
<u>L9</u>	L6 and improve\$4 adj access\$4	334	<u>L9</u>
<u>L8</u>	L7 and share\$4 adj client	3	<u>L8</u>
<u>L7</u>	L6 and desktop adj unit	62	<u>L7</u>
<u>L6</u>	computers and servers	74706	<u>L6</u>
<u>L5</u>	hypernation	0	<u>L5</u>
<u>L4</u>	L3 and resources and applications	4	<u>L4</u>
<u>L3</u>	L2 and smart adj card	9	<u>L3</u>
<u>L2</u>	L1 and desktop adj unit	62	<u>L2</u>
L1	computers and servers	74706	L1